



RD/ARKRED
RESCUE EQUIPMENT+DEVICES

RESCUE BOAT

RESCUE AIR BOAT



Possible Travel Area



Air boat Features

It can pass even to a strong current of river.

Scooper Rescue System

Scooper can rescue with the driver alone and scoop a person fell in the water.



ERS: ESKIMO ROLL SYSTEM

Is a device that can posture restoring from Rollover condition



	Length	Width	Height	Weight	HP	Capacity	Max Speed
FAR-2	5,576 mm	2,296mm	2650mm	1100kg	550hp	1-6 people	45Kn
FAR-3	5904mm	2624mm	2700mm	1250kg	550hp	1-8 people	45Kn
FAR-4	7300mm	2700mm	2750mm	1400kg	620hp	1-12 people	45Kn

RESCUE URETHANE BOAT WITH JET

RESCUE URETHANE BOAT WITH JET



- ✓ Foamed Rigid Urethane
- ✓ Does not sink even if when punctured
- ✓ All contents have buoyancy



**SUPERIOR
MARINE
TECHNOLOGY**



Lightweight Design / Easy to carry



Rescue net



Reinforced rubber bottom guard



Rescue Boat can be operated over the suspended solid, smooth outboard and has no screws.



Stainless steel ladder



It is safe to operate even in a closer distance from the people or even in shallow water.



Rescue Boat can be operated over the suspended solid, outboard is smooth and has no screws.

Amphibious Craft

Amphibious Craft



8X8 Amphibious Vehicle with Fire Fighting



TFPK-32B2AR
BLITZ FIRE MONITOR
(Fi8000AR)



TFPK-32B2ARR
4 Multiple Fire Monitor
(Fi8000)



FIRE PUMP

Mobile Fire Pump



HAND GUN NOZZLE SPRAY



① Rod-shaped


② Spray
Water

③ ①+② Defensive
spray with
Rod-Shaped discharge



FIRE PUMP

Fire Fighters Equipment



IDEAL FOR
EMS RESCUE
REMOTE RESCUE
FORCIBLE ENTRY
AUTO EXTRICATION
COLLAPSED RESCUE
PROTESTOR RELEASE
CONFINED SPACE RESCUE



HRS-932 Shear Head



HRS-932s "Stubby" Shear



HRS-934 Spreader Head




HRS-935 Door-Opener



HRS-923 Pedal Cutter



HRS-931 Pump-unit



CHARRING CASE



All Ogura tools are supplied in sturdy plastic cases.


All tools come with rugged plastic carrying case



BATTERY



CHARGER



AIR COMPRESSOR

Air Compressor



BAUER
KOMPRESSOREN

JUNIOR II Mobile compressor



JUNIOR II Kompressor, 90 – 330 bar, 100 – 140 l/min,



Junior II mit Benzinmotor



Junior II-E



Junior II-B

TECHNICAL DATA

Type	Charging Rate ¹		Operating Pressure max.		Purification system	Number of Stage	Speed	Drive and Motor Power		Net Weight approx.	Dimensions LxWxH
	l/min	cfm	bar	psig				Motor	kW		
JUNIOR II-B	100	3.5	330	4780	P21	3	2,300	Petrol engine 4-stroke	4.2	44	78 x 41 x 42
JUNIOR II-E	100	3.5	330	4780	P21	3	2,300	Three-phase 400V,50Hz	2.2	46	66 X 36 x 42
JUNIOR II-W	100	3.5	330	4780	P21	3	2,300	Single-phase 230V, 50Hz	2.2	46	66 x39 x 42

1 Measured by cylinder filling (10 l) from 0-200 bar / 2900 psig, ± 5%.

2 Plug dimension : 16A. OCEANUS-W without plug.

3 Plug dimension : Schuko plug. Plug only for units with 230V / 50Hz.

4 With integrated motor protection switch (only for 220/230/240 V).


SAFETY GEAR

AIR-BAG SAFETY GEAR



deployed.

Shock-buffering protection system AIRBAG SYSTEM



In a fall or crash, the shock-buffering protection system will be activated instantly after the distance from the rider to the motorcycle exceeds the "activation distance", when the key ball is pulled out of the key box to release CO2 gas into the neck, back, chest, side and hip airbags to inflate them and to absorb the impact on rider's body.



When the EXtretcher inflates in full, it is so tight that its upper surface does not touch its underside, even if somebody is on the stretcher.

The EXtretcher inflates to over 6 cm thickness and consists of 7 cylindrical airbags.

Option
Air pump
EXtretcher can be inflated with air pump without using CO2 cartridge.
If airbag pressure is too low, inflate with air pump.


Storage bag
W350 x D70 x H300mm
Weight : 2.5kg(When stretcher is stored)

airbag system protector

all-in-one airbag

Wearable over an ordinary jacket or a raincoat. Designed to minimize contact area with the jacket. Adjust the size using a waist adjuster. Wearable as a protector in any season.

Key Box B-type




Before
MLV-C

After



Model : MLV-C, MLV-RC, MLV-P, SKV(for Kids), MLV-YC

Key Box B-type



Before
MLV-Y

After



Model : MLV, MLV-R, MLV-Y



To protect the Neck, Spinal cord, The Key points such as Chest by Air Film Absorber Jacket

Rescue Helmet & Rescue Vest

RESCUE Helmet



Shell Material : ABS plastic
Liner Material : Closed-cell EVA foam
Adjustment : DialFit Adjustment
Ear Coverage : No
Features : 6 Ventilation / Drain holes
CE1385 Approved

The Rescue Helmet is your one-size-fits-most solution to whitewater safety. Our DialFit system lets you quickly and easily adjust the fit to accommodate almost any head size.

Protect nearly any adult with the same helmet. No more mixing and matching. The ratchet-adjust DialFit system lets you custom fit the Havoc with the simple twist of a knob.

Fits head circumference 53-62 cm (20.86"-24.4").

An adjustable chin strap ensures comfort and security.

Plush FIT pads in key contact points provide extra comfort.

FIT pads are fixed, so they won't get lost. If damaged, they are easy to replace.

Six ventilation/drainage ports let air in and water out.

ABS plastic shell is lightweight and durable.

Glued-in EVA foam liner offers excellent impact protection.

Meets CE 1385 standards for whitewater safety.

SAFETY VEST PFD



US Coast Guard Type : V

Design Floatation : 15.5 lbs

Outer Fabric : 420-denier nylon

Entry System : 4-Side / 2-Shoulder / 2-Waist

Includes : Floatation Collar Webbing loops for leg straps

Features : Fits youth 50-90 lbs.

US Coast Guard Certification

Type V: When you want to float serious water you need a serious life jacket. The NRS Big Water V Youth is a high flotation jacket that will fit a range of young body types.

Four front buckles make entry, exit and adjustment simple and quick.

The Youth size fits people 50-90 lbs.

Webbing loops for leg straps add extra security in big water. (Leg Straps sold separately).

Six side adjustments and two shoulder adjustments hold the PFD securely in place.

The flotation collar helps keep your head up out of the water and offers some protection to your noggin from rocks in the event you are floating downriver head first.

This jacket carries the US Coast Guard Certification, through testing by Underwriters Laboratories (UL).

Design Floatation: 15.5 lbs.

RESCUE FIRE FIGHTING GEAR / PPE

RESCUE TEAM EQUIPMENT ●



UNIFORM



RESCUE

FIRE FIGHTER

SEA RESCUE DRY SUITS



Knee and Elbow Pad



RESCUE BOOTS



RESCUE GLOVE

- RESCUE SERIES - ●



DG3640
本件価格 ¥7,000 (税別)

TUL300J
本件価格 ¥12,000 (税別)

WB8



RESCUE VEHICLE AND MOBILE WATER PURIFICATION

RESCUE TEAM VEHICLE



- SPECIAL BUILT-IN ACCESSORIES**
- ☑ RESCUE TOOLS
 - ☑ FIRE PUMP
 - ☑ WATER PURIFICATION SYSTEM
 - ☑ SAFETY GEAR



DISASTER MOBILE WATER PURIFICATION



Cycloclean 1500

Cycloclean 1500 Specification	
Water Purification Element	Pre-Filter / Hybrid Carbon Filter / MF hollow Fiber membrane Filter
Water Purification Capacity	Max 1,500 liter / h
Power Source	Gasoline Engine Pump or Manual Pump
Fuel Tank	Regular Gasoline /0.5ℓ
Operation Hour	1 hour (water purification flow25 liter/min)
Enable Water Source	River Water / Lake Water / Pond Water / Well Water / Rain Water / Pool / Hydrant Water
Outdoor air temperature	5°C~40°C
Total Pump head	Vertical direction – 1m / Horizontal direction – 5m
External Dimension	L800mm × W620mm × H670mm (Lever handle 70mm include)
Total Weight	Dry weight : 50kg / Operation Weight 60kg



Desaliclean 2501



Desaliclean 9000

	DESALICLEAN 2501 Spec	DESALICLEAN 9000 Spec	DESALICLEAN 12000 Spec
Water Purification Element	Reverse Osmosis Membrane / Sediment Filter 1 μ m / Original Carbon Filter	Reverse Osmosis Membrane / Sediment Filter 1 μ m / Hybrid Carbon Filter	Reverse Osmosis Membrane / Sediment Filter 1 μ m / Hybrid Carbon Filter
Water Purification Capacity	Max 100 Liter / h	Max 400 Liter / h	Max 500 Liter / h
Power Source	Gasoline Engine 3.9Hp	Gasoline Engine 10Hp	Gasoline Engine 12Hp
Fuel Tank	Regular Gasoline / 3.1ℓ	Regular Gasoline / 6.1ℓ	Regular Gasoline / 6.1ℓ
Operation Hour	Full tank 2 hour (water purification flow200 liter / 2hours)	Full tank 2 hour (water purification flow 8,00 liter / 2hours)	Full tank 1.8 hour (water purification flow1,000 liter / 2hours)
Enable Water Source	Sea Water / Salt Water / Well Water		
Outdoor air temperature	5°C ~ 40°C		
External Dimension	W425mm×D860mm×H575mm	W1700mm×D700mm×H830mm	W1700mm×D700mm×H830mm
Total Weight	Dry weight : 50kg / Operation Weight 65kg	Dry weight : 130kg / Operation Weight 160kg	Dry weight : 150kg / Operation Weight 190kg

Emergency Light System with Generator



Model	Lamp	maximum output	Specification
LS020CS	LED	200W	<HARD CASE> MAX Height : 2625mm Height a Storage Tripod : 870mm Weight : 23.4kg
LB43BH-3	LED	400W	<HARD CASE> MAX Height : 2585mm Height a Storage Tripod : 870mm Weight : 30.8kg

Model	Lamp	maximum output	Specification
LB030CS	LED	300W	<HARD CASE> MAX Height : 2915mm Height a Storage Tripod : 870mm Weight : 25.6kg
LB43BH-3	METAL HALIDE	400W	<HARD CASE> MAX Height : 2915mm Height a Storage Tripod : 870mm Weight : 23.2kg
LB103BH-2	METAL HALIDE	100W	<HARD CASE> MAX Height : 3250mm Height a Storage Tripod : 870mm Weight : 29.5kg



Rescue Tools and First Aid Back Pack Kit RDAK-RESCUE AID BP74



- Medication and ointment
- Bandages and Dressings
- Wound cleansers
- Accessories
- Medical Supplies
- Nutrients
- Survival Kit
- Rescue Tools Kit



No.	Contents	Quantity	No.	Contents	Quantity
A	Medication and ointment		D	Medical Supplies	
1	Paracetamol 500mg tablet	4pcs	38	Ibuprofen	4pcs
2	Mefenamic acid 500mg	4pcs	39	Anti diarrhea tablet	4pcs
3	loperamide 2mg / tablet	4pcs	40	Antibiotic Ointment	4pcs
4	Dicycloverine 10mg /tablet	4pcs	41	Fabric Knuckle	4pcs
5	Burn ointment	1pc	42	Hypoallergenic plaster	1pc
6	Spirit of Ammonia	1btl	43	Povidone swab stick	2pc
7	Eucalyptus Oil	1btl	44	Bloodstop gauze	10pcs
B	Bandages and Dressings		45	Burn gel	4pcs
8	Gauze Bandage 4 x 10	1roll	46	Bag	1pc
9	Gauze Sterile 4 x 4 x12ply	8pcs	E	Nutrients	
10	Gauze Sterile 3 x 4 x12ply	8pcs	47	Food pack	Buyer
11	Sterile gauze pad 3x3	4pcs	48	Water Filter	1pc
12	Plaster Strip	11pcs	49	Water purification tablets	10pcs
13	Elastic Bandage 3" x 5mtrs	1roll	F	Survival Kit	
14	Elastic Bandage 4" x 5mtrs	1roll	50	Emergency Blanket	2pc
15	Bandage non woven 2"	1roll	51	Fire Striker	2pc
16	Bandage non woven 4"	1roll	52	Fire Starter	4pc
17	Neck Protection Guard	1pc	53	Whistle	1pc
C	Wound cleansers		54	Compass	1pc
18	Cotton Roll 50gms	1roll	55	Duct Tape	1pc
19	Cotton Balls 25's	1pk	56	First and Kit Manual	1pc
20	Cotton Buds 36'tips	1pk	57	Rope	1Roll
21	Alcohol swab	20pcs	58	Repair kit	1Pack
22	Hydrogen Peroxide 10%	1btl	59	Safety light Stick	1pc
23	Povidone swab stick	2pcs	60	Survival Knife with LED Light	1pc
24	Povidone Iodine 10%	1btl	G	Rescue Tools Kit	
D	Accessories		61	RESCUE BAG	1pc
25	Digital Thermometer	1pc	62	Folded Shovel	1pc
26	BP sphygmomanometer 3m	1set	63	AX	1pc
27	Torniquet	1pk	64	Bolt Cutter	1pc
28	Clamp thumb forceps	1pc	65	Crow Bar	1pc
29	Ice pack	1pc	66	Hammer	1pc
30	Armsling	1pc	67	Saw	1pc
31	Hot water case	1pc	68	Rescue Rope	1pc
32	Penlight	1pc	69	Goggle	1pc
33	Scissor	2pc	70	Glove	1pc
34	Sanitary Bag	1pc	71	Mask	1pc
35	Tongue Depressor	1pc	72	Whistle	1pc
36	First Aid Kit Guide	1pc	73	Snap Off Knife	1pc
37	Co2 Inflatable Stretcher	1pc	74	Survival kit Bag	1pc



CEBU:

A.S. Fortuna St.
Mandaue City, Cebu

TEL: (32) 236-9688

(32) 346-3383

Email: sales@rdaktransport.com

MANILA:

15th Flr. BA Lepanto Bldg.
Paseo de Roxas, Makati City

TEL: (02) 663-2930

Email: daimarueco@dmreco.com.ph